



# Declaration of Performance

| No. F134-CPR-20151006   |   |
|---|---|
| <b>Product Type:</b>  | Roomheaters fired by solid fuel   |
| <b>Type, batch or serial number: [Article 11-4]</b>   | <b>Jøtul F 130 Series without side glass panels</b><br>(Jøtul F 134 (cast iron base), Jøtul F 136 (pedestal))     |
| <b>Intended use of the product:</b>   | Roomheater burning solid fuel without water supply  |
| <b>Name and Address of the manufacturer:</b><br><b>[ Article 11-5]</b>  | Jøtul AS<br>Postboks 1411, 1602 Fredrikstad, Norway<br>Tel.: +47 69 35 90 00<br>E-mail: post@jotul.no             |
| <b>Contact address: [Article 12-2]</b>  | No relevance  |
| <b>AVCP:</b><br><i>System(s) of assessment and verification of constancy of performance (AVCP) of the construction product as set out in CPR, Annex V</i> | System 3  |
| <b>Notified body:</b>   | Danish Technological Institute<br>NB-No 1235  |
| <b>Test report no:</b>  | 300-ELAB-2182-EN, 300-ELAB-1986-EN  |
| <b>Declared performance:</b>  |   |
| <b>Harmonized technical specification</b>   | EN 13240:2001/A2:2004/AC:2007   |
| <b>Essential characteristics</b>  | Performance   |
| <b>Fire safety</b>  | -   |
| Reaction to fire  | A1  |
| Distance to combustible materials   | Minimum distances, in mm<br><b>Jøtul F 134, F 136</b><br>Rear = 150<br>Sides = 350<br>Corner = 100<br>Front = 900 |
| Risk of burning fuel falling out  | No  |

|  |   |
|--|---|
| <b>Emission of combustion products</b>                 | CO [0,10 %]<br>NOx [148 mg/m3]<br>OGC [79 mgC/m3]<br>Dust [5 mg/m3] |
| <b>Surface temperature</b>                             | Pass  |
| <b>Electrical safety</b>                               | -   |
| <b>Cleanability</b>                                    | Pass  |
| <b>Maximum water operating pressure</b>                | -   |
| <b>Flue gas temperature at nominal heat output</b>     | T [260°C]   |
| <b>Mechanical resistance (to carry a chimney/flue)</b> | NPD   |
| <b>Thermal output</b>                                  |   |
| Normal heat output                                     | 4,7 kW  |
| Room heating output                                    | - kW  |
| Water heating output                                   | -*kW  |
| <b>Energy efficiency</b>                               | $\eta$ [83%]  |

**Declaration:**

The performance of the product identified in points 1 and 2 in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

**Signed on behalf of the manufacturer:**

Tom J.

R&D

*(Name and function)*

Fredrikstad      October 2015

*(Place and date of issue)*



*(Signature)*