



## Declaration of Performance (DoP)

No. F305-CPR-140812	
<b>Product Type:</b>	Roomheaters fired by solid fuel
<b>Type, batch or serial number:</b>	<b>Jøtul F 305 Series (Jøtul F 305 B, Jøtul F 305 LL)</b>
<b>Intended use of the product:</b>	Roomheater burning solid fuel without water supply
<b>Name and Address of the manufacturer:</b>	Jøtul AS Postboks 1411, 1602 Fredrikstad, Norway Tel.: +47 69 35 90 00 E-mail: post@jotul.no
<b>AVCP:</b> <i>System(s) of assessment and verification of constancy of performance (AVCP) of the construction product as set out in CPR, Annex V</i>	System 3
<b>Notified body:</b>	Danish Technological Institute
NB-No:	1235
Test report no:	300-ELAB-2093-EN
<b>Declared performance:</b>	
Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fuel	Wood logs
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm Rear = 200 Sides = 400 Corner = 250 Front = 1100 <i>See also the installation instructions</i>
Risk of burning fuel falling out	No
Emission of combustion products	CO [0,06 %] NOx [85 mg/m <sup>3</sup> ] OGC [64 mgC/m <sup>3</sup> ] PM [7 mg/m <sup>3</sup> ]
Surface temperature	Pass
Electrical safety	-
Cleanability	Pass
Maximum water operating pressure	-
Flue gas temperature at nominal heat output	T [261°C]
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Normal heat output	7 kW
Room heating output	- kW
Water heating output	-*kW
Energy efficiency	η [79%]

**Declaration:**

The performance of the product in conformity with the declared performance.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed on behalf of the manufacturer:

Tom J. Berglind

R&D Manager

---


*(Name and function)*

Fredrikstad, August 12th 2014

---

*(Place and date of issue)*

*(Signature)*

A handwritten signature in black ink that reads "Tom J. Berglind". The signature is written in a cursive style with a large, looped 'J' and 'B'.